1960 ANNUAL INDEX

Textile Research Journal

Volume XXX

MONTH	PAGES	MONTH	PAGES
January	1–74	July	473–546
February	75–152	August	547–632
March	153–238	September	633–714
April	239–328	October	715–804
May	329–410	November	805–902
June	411–472	December	903–1016

L = Letter

AUTHOR AND TITLE INDEX

ACHWAL, W. B. (Nabar). Action of Oxidizing Agents on Cellulose and Hydrocellulose . . . 872
ADAMS, J. T., JR. (Galligan, Sookne, Guest, Lourigan). New Developments in Epoxide Wash-Wear Finishes for Cotton . . 208
ALGIE, J. E. (Haly). Ultraviolet Light and Conduction in Keratin—L . . . 627
(Downes, Mackay). Electrical Conduction in Keratin . . . 432
ANDERSON, C. A. Aeration Recovery of Lanolin from Wool Scour Liquors . . . 51
ANDERSON, RICHARD E. (Botty, Felton). Application of Microscopical Techniques to the Evaluation of Experimental Fibers . . . 959
ANDREWS, M. W. (Medley). The Kinetics of Wool Dyeing—Some Effects of Alcohols on Wool Dyeing Rates . . . 855
ARMSTRONG, A. A., JR. (Rutherford, Kiser, Kirby). Vapor-Phase Polymerization of Acrylonitrile onto Cotton by Gamma Irradiation—L . . . 546
ARTHUR, JETT C., JR. (Demint). Properties of Cotton Containing Radiation-Polymerized Acrylonitrile . . . 505

BANBAJI, J. On Tensile Properties of Alkali-Treated Jute Fibers—L . . . 798
BANDYOPADHYAY, S. B. The True Index of Irregularity for Jute Yarn . . . 782
(Sarkar, Mazumdar). Effect of Acetyl Groups on the Strength of Jute Fiber—L . . . 71
(Sil). Length and Fineness of Jute Fiber Filaments at Various Stages of Yarn Production and in Yarns of Different Qualities of Fiber . . . 785
BAXTER, G. (Black, Giles, Macauley, Rahman). Lightfastness and Surface Activity of Dyes: The Effect of Alkylation and of Sulfonation . . . 934
BECK, LOUIS R., JR. (Schwenker). The Differential Thermal Analysis of Textile and Other High Polymeric Materials—L . . . 624
BENDIT, E. G. A Quantitative X-Ray Diffraction Study of the Alpha–Beta Transformation in Wool Keratin . . . 547
BENERITO, RUTH R. (Berni, Fagley). Preparation and Rates of Hydrolysis of Perfluoro-Esters of Cellulose . . . 393
(Berni, Philips). Durability of Oleophobicity of Cotton Fabrics Imparted by Fluorochemicals . . . 576
BERARD, W. NORBERT (Gautreaux, Reeves). Reply to Ruperti Letter—L . . . 70
BERKLEY, EARL E. (Mayne, Mathews). Effects of Blending Cottons by Fineness on Cotton Costs, Processing Efficiency, and Yarn Quality . . . 268
BERNI, RALPH J. (Benerito, Fagley). Preparation and Rates of Hydrolysis of Perfluoro-Esters of Cellulose . . . 393
(Benerito, Philips). Durability of Oleophobicity of Cotton Fabrics Imparted by Fluorochemicals . . . 576
BISERTE, GERARD (Pigache). Studies on Wool. *Part V:* Partial Hydrolysis in Acid Reduction Medium . . . 612
BLACK, W. A. (Baxter, Giles, Macauley, Rahman). Lightfastness and Surface Activity of Dyes: The Effect of Alkylation and of Sulfonation . . . 934
BLANDFORD, JOSEPHINE M. (Smith, Schiefer). Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VI:* Velocities of Strain Waves Resulting from Impact . . . 752
BORTON, D. C. (Krasny). Correlation of Instron and Elmendorf Tearing Strength Results . . . 400
BOSE, S. K. Some Physical Observations on Rosselle—L . . . 545
BOTTY, MARTIN C. (Felton, Anderson). Application of Microscopical Techniques to the Evaluation of Experimental Fibers . . . 959
BRADBURY, J. H. The Amino Acid Analysis of Cuticle-Rich Material from Wool . . . 128
(Leeder). Shrinkproofing of Wool with Polyglycine from the Polymerization of Thiazolid-2:5-Dione . . . 118
(Shaw). Shrinkproofing of Wool with Polyglycine from the Polymerization of Anhydrocarboxyglycine . . . 976
BROWN, JOHN J. (Sands, Fiori). A Comparison of Some Physical Properties of 80 × 80 Print Cloth Produced from Three Cottons Differing Primarily in Flat Bundle Strength . . . 389
BRUNNSCHWEILER, K. (Cotterill, Hodgkinson). A Ballooning Yarn Apparatus with Linear Yarn Movement—L . . . 616
BURLEY, R. S. Experiments on Wool from Copper-Deficient Sheep. *Part I:* Some Physical Measurements on Intact Fibers and Experiments on the Dissolution and Fractionation of Oxidized Wool . . . 473
(Horden). Experiments on Wool from Copper-Deficient Sheep. *Part II:* The Amino-Acid Composition of Oxidized Normal and Copper-Deficient Wool Fractions and Further Attempts at Fractionation . . . 484

CARRA, JARRELL H. (Porter, Tripp, Rollins). Effect of Cellulase on Cotton Fiber Microstructure. *Part I:* Degradation by Cellulase in Fungal Growth Filtrates . . . 249
Part II: Degradation During Growth of Cellulolytic Microorganisms . . . 259
CATES, DAVID N. (Cranor). The Stabilizer in Hydrogen Peroxide Bleaching . . . 848
CHAKRAVARTY, A. C. Some Observations on Kinetic Friction of Jute . . . 592
CHANCE, LEON H. (Conner, Reeves). New Silicone Alloy for Durable Water Repellency on Cotton . . . 171
(Perkins, Reeves). Aldehyde-Ethylenimine Reaction Products as Finishes for Cotton Fabrics . . . 305
(Perkins, Reeves). Imparting Wrinkle Resistance to Cotton with 1,1′-Carbonylbisaziridine . . . 918
(Reeves, Perkins). Cotton Cross-Linked at Various Degrees of Fiber Swelling . . . 179
CHATTERJEE, H. (Mazumdar). Nature of the Degradation of Jute Cellulose and Jute Fiber in Storage—L . . . 324
CHICUREL, R. (Suppiger). Load Deflection Analysis of Fibers with Plane Crimp . . . 568
CHU, CHAUNCEY C. (Platt, Hamburger). Abstract—Investigation of the Factors Affecting the Drapeability of Fabrics . . . 66
CONNER, CHARLES J. (Reeves, Chance). New Silicone Alloy for Durable Water Repellency on Cotton . . . 171
CONRAD, CARL M. (Stanonis, Harbrink, Creely). Changes in Fine Structure and Mechanical Properties Induced by Cyanoethylation of Cotton Yarns. *Part I:* Treated Without Tension . . . 339
COOPER, D. N. E. The Effect of Twist upon Bending Properties—L . . . 150
COTTERILL, P. J. (Brunnschweiler, Hodgkinson). A Ballooning Yarn Apparatus with Linear Yarn Movement—L . . . 616
COVEN, GLENN E. (Weissbein). The Physical State of Direct Dyes in Viscose and its Influence on Lightfastness. *Part I:* A Method of Examining the Physical State of Direct Dyes in Viscose . . . 58
Part II: The Relation between the Physical State of Direct Dyes in Viscose and Lightfastness . . . 62
CRANOR, WINNIFRED H. (Cates). The Stabilizer in Hydrogen Peroxide Bleaching . . . 848
CREELY, J. J. (Conrad, Stanonis, Harbrink). Changes in Fine Structure and Mechanical Properties Induced by Cyanoethylation of Cotton Yarns. *Part I:* Treated Without Tension . . . 339
CREWTHER, W. G. (Dowling). The Action of Nitric and Hydrochloric Acids on Wool with Particular Reference to Supercontraction of the Fibers . . . 23

DANSIZER, CORNELIA J. (Dusenbury, Wu). Mechanical Properties of Feather and Down Fibers. *Part I:* Measurements at 65% RH and 70° F. 277
Part II: Design and Operation of a Vacuum Vibroscope 290
DART, S. LEONARD. An Entropy Stress Study of Various Textile Fibers 372
DARUWALLA, E. H. (Kangle, Nabar). Acid Hydrolysis of Chemically Modified Celluloses—L 469
DAS GUPTA, P. C. The Hemicelluloses of Roselle Fiber (*Hibiscus sabdariffa*)—L 237
DATYE, K. V. (Nabar). Studies in the Reaction of Formaldehyde with Cellulose—L 72
DEGRUY, INES V. (Porter, Tripp, Rollins). Effects of Gamma, High-Energy Electron, and Thermal Neutron Radiation on the Fibrillar Structure of Cotton Fibers 510
(Tripp, Moore, Rollins). Location of Areas of Reaction in Chemically Treated Cotton Cellulose 140
DEMINT, ROBERT J. (Arthur). Properties of Cotton Containing Radiation-Polymerized Acrylonitrile 505
DENT, R. W. (Hearle). The Tensile Properties of Twisted Single Fibers 805
DOWLING, L. M. (Crewther). The Action of Nitric and Hydrochloric Acids on Wool with Particular Reference to Supercontraction of the Fibers 23
DOWNES, J. G. (Mackay). Continuous Simultaneous Measurements of Rigidity and Regain in a Filament During a Sorption Process—L 628
(Algie, Mackay). Electrical Conduction in Keratin 432
(Nordon, Mackay, McMahon). Sorption Kinetics of Water Vapor in Wool Fibers: Evaluation of Diffusion Coefficients and Analysis of Integral Sorption 761
DUNKERLEY, FRANK. A Miniature Spinning Test for Cotton—L 238
DUSENBURY, JOSEPH H. (Schwenker). Differential Thermal Analysis of Protein Fibers—L 800
(Wu, Dansizer). Mechanical Properties of Feather and Down Fibers. *Part I:* Measurements at 65% RH and 70° F. 277
Part II: Design and Operation of a Vacuum Vibroscope 290

EL-BEHERY, H. M. A. E. (Hearle). The Deformation of Filaments Within Yarns Due to Transverse Forces—L 322
EPSTEIN, JOSEPH A. (Lewin). The Direct Nitration of Flax and Jute 520
EPSTEIN, L. IVAN. A Nomogram for Use with the Vibroscope—L 148
FAGLEY, THOMAS F. (Benerito, Berni). Preparation and Rates of Hydrolysis of Perfluoro-Esters of Cellulose 393
FARNWORTH, A. J. (Lipson, McPhee). The Development of Washable Non-Iron Effects in Pure Wool Fabrics 11
FELTON, CLINTON D. (Botty, Anderson). Application of Microscopical Techniques to the Evaluation of Experimental Fibers 959
FEUGHELMAN, M. (Haly). The Mechanical Properties of the Ortho- and Para-Like Components of Lincoln Wool Fibers 897
Supercontracting and Setting Behavior of Modified Wool Fibers 365
The X-Ray Diffraction Pattern of Iodinated Wools—L 622
FIORI, LOUIS A. (Little, Mayne). Interlaboratory Studies of the Shirley Analyzer Method—L 319
(Louis, Sands). Blending Cottons Differing Widely in Maturity. *Part II:* Effect on the Physical Properties of a Sheeting Fabric (Type 128) 926
(Sands, Brown). A Comparison of Some Physical Properties of 80 × 80 Print Cloth Produced from Three Cottons Differing Primarily in Flat Bundle Strength 389
(Tallant, Landstreet). The Effect of Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part II:* Yarns Made by Miniature Spinning Techniques from Differentially Ginned Cotton 792
FRÖHLICH, HANS GÜNTHER (Wegjan). Applicability of the Alkaline Thioglycollate Extraction Test for Detection of Wool Damage—L 73
FUJIMURA, TOSHIKAZU (Okamoto). Partially Cross-Linked Rayon Nitrate—L 796

GALLIGAN, JOHN (Sookne, Adams, Guest, Lourigan). New Developments in Epoxide Wash-Wear Finishes for Cotton 208
GAST, B. (Hamby, Stuckey, Hader). The Analysis of Variations for Certain Physical Properties of Combed Cotton Yarns 435
GAUTREAUX, GLORIA A. (Berard, Reeves). Reply to Ruperti Letter—L 70
GILES, C. H. (Baxter, Black, Macauley, Rahman). Lightfastness and Surface Activity of Dyes: The Effect of Alkylation and of Sulfonation 934
GRAHAM, D. R. (Statham). Tryptophan in Wool. *Part I:* Determination of the Tryptophan Content of Wool 136
The Felting of Wool in Concentrated Solutions of Electrolytes—L 151
GRANT, JAMES N. (McDonald, Humphreys). Physical Properties of Chemically Modified Cottons. *Part V:* Effects of Aminization 312
GUEST, HOWARD (Galligan, Sookne, Adams, Lourigan). New Developments in Epoxide Wash-Wear Finishes for Cotton 208

HADER, R. J. (Hamby, Stuckey, Gast). The Analysis of Variations for Certain Physical Properties of Combed Cotton Yarns 435
HALY, A. R. (Algie). Ultraviolet Light and Conduction in Keratin—L 627
(Feughelman). Supercontracting and Setting Behavior of Modified Wool Fibers 365
(Feughelman). The Mechanical Properties of the Ortho- and Para-Like Components of Lincoln Wool Fibers 897
(Feughelman). The X-Ray Diffraction Pattern of Iodinated Wools—L 622
HAMBURGER, WALTER J. (Chu, Platt). Abstract—Investigation of the Factors Affecting the Drapeability of Fabrics 66
HAMBY, D. S. (Stuckey, Gast, Hader). The Analysis of Variations for Certain Physical Properties of Combed Cotton Yarns 435
HARBRINK, PIETER (Conrad, Stanonis, Creely). Changes in Fine Structure and Mechanical Properties Induced by Cyanoethylation of Cotton Yarns. *Part I:* Treated Without Tension 339
HARRIS, HAZEL E. (Krasny). The Effect of Fiber Parameters on the Wash-and-Wear Characteristics of Wool Fabrics—L 234
HASKELL, V. C. (Owens). A Structural Comparison of Films Regenerated from Cellulose Acetate and Viscose 993
HEARLE, J. W. S. (Dent). The Tensile Properties of Twisted Single Fibers 805
(El-Behery). The Deformation of Filaments Within Yarns Due to Transverse Forces—L 322
HEFTI, HEINZ. Sodium Chlorite Bleaching. *Part I:* Decomposition Studies 861
Part II: Bleaching Studies 867
HERBLOSHEIMER, E. (Rath, Stapf). The Mechanism of Resin Deposition in Cotton 201
HERMANS, P. H. (Weidinger). Effect of the Technique of Exposure on the Characteristic Parameters Which Can be Derived from X-Ray Exposures of Rayon 770
HODGKINSON, N. (Brunnschweiler, Cotterill). A Ballooning Yarn Apparatus with Linear Yarn Movement—L 616
HOLDAWAY, H. W. Behavior of Pleated Strips of Wool Fabric in an Extensometer. *Part I* 296
Part II: Modifications Due to Pleat Curvature and Other Second Order Effects 455
HORDEN, F. W. A. (Burley). Experiments on Wool from Copper-Deficient Sheep. *Part II:* The Amino-Acid Composition of Oxidized Normal and Copper-Deficient Wool Fractions and Further Attempts at Fractionation 484
HOURIHAN, MARY E. (Neil, Wood, Terrill). Fiber Alignment Device—L 1004
HOWARD, JOHN W. (McCord). Cotton Quality Study. *IV:* Resistance to Weathering 75
HUMPHREYS, GERALDINE C. (McDonald, Grant). Physical Properties of Chemically Modified Cottons. *Part V:* Effects of Aminization 312

IRVINE, J. B. Performance Characteristics of Chemically Stabilized Cotton Knit Goods 222
ITŌ, HEIHACHIRO (Negishi, Takahashi). Cross-Linking of Partially Cyanoethylated Cotton. *Part III:* Acid Scouring of Amidoximate and Subsequent Formaldehyde-Curing 999

KAMOGAWA, H. (Murase, Sekiya). Polymerization and Condensation Reaction of N-Methylol Acrylamide Within Cotton Fabric 774
KANGLE, P. J. (Daruwalla, Nabar). Acid Hydrolysis of Chemically Modified Celluloses—L 469
KATO, KOICHI. Interpretation of Staining Results Obtained by the Procion Black HGS Procedure—L 540
KENNETT, R. H. (Watt). Variations in the Equilibrium Weight of Wool at Zero Humidity 489
KING, WALTER D. (Stanonis). Preparation of Partially Benzhydrylated Cellulose—L 802
KIRBY, ROSE D. (Rutherford, Armstrong, Kiser). Vapor-Phase Polymerization of Acrylonitrile onto Cotton by Gamma Irradiation—L 546
KISER, LILA H. (Rutherford, Armstrong, Kirby). Vapor-Phase Polymerization of Acrylonitrile onto Cotton by Gamma Irradiation—L 546
KOENIG, N. H. (Wasley, Pardo). Setting Wool Textiles with Ethanolamine—L 901
KRASNY, J. F. (Borton). Correlation of Instron and Elmendorf Tearing Strength Results 400
(Harris). The Effect of Fiber Parameters on the Wash-and-Wear Characteristics of Wool Fabrics—L 234

LAIBLE, ROY C. (Weiner). Russian and Satellite Research and Development in the Field of Synthetic Fibers 239
LANDSTREET, CHARLES B. (Tallant, Fiori). The Effect of Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part II:* Yarns Made by Miniature Spinning Techniques from Differentially Ginned Cotton 792
LEEDER, J. D. (Bradbury). Shrinkproofing of Wool with Polyglycine from the Polymerization of Thiazolid-2:5-Dione 118
LEWIN, MENACHEM (Epstein). The Direct Nitration of Flax and Jute 520
LIPSON, M. (Farnworth, McPhee). The Development of Washable Non-Iron Effects in Pure Wool Fabrics 11
LITTLE, Hershel W. (Fiori, Mayne). Interlaboratory Studies of the Shirley Analyzer Method—L 319
LOUIS, GAIN L. (Fiori, Sands). Blending Cottons Differing Widely in Maturity. *Part II:* Effect on the Physical Properties of a Sheeting Fabric (Type 128) 926
(Sands, Tallant). Linear Densities of Fibers in Selected Length Groups of 42 Domestic and Foreign Cottons—L 619
LOURIGAN, GEORGE H. (Galligan, Sookne, Adams, Guest). New Developments in Epoxide Wash-Wear Finishes for Cotton 208
LOUW, D. F. Weathering and the Resulting Chemical Changes in Some South African Merino Wools 462
The Bilateral Structure of Crimped and Steely Wools and the Origin of Fiber Crimp 606
LYONS, W. JAMES. Studies of the Surface Geometry of Fibers. *Part I:* Preliminary Experiments 955

McCORD, FRANK A. (Howard). Cotton Quality Study. *IV:* Resistance to Weathering . . . 75
(McNally). Cotton Quality Study. *Part V:* Resistance to Abrasion . . . 715
McDONALD, ALLAN W. (Humphreys, Grant). Physical Properties of Chemically Modified Cottons. *Part V:* Effects of Aminization . . . 312
McMAHON, G. B. (Nordon, Mackay, Downes). Sorption Kinetics of Water Vapor in Wool Fibers: Evaluation of Diffusion Coefficients and Analysis of Integral Sorption . . . 761
McNALLY, JOHN P. (McCord). Cotton Quality Study. *Part V:* Resistance to Abrasion . . . 715
McPHEE, J. R. Reaction of Wool with Oxidizing Agents in Concentrated Salt Solutions . . . 349
Shrinkproofing of Wool with Neutral Permanganate or Acid Bromide in Concentrated Sodium Chloride Solution . . . 358
(Farnworth, Lipson). The Development of Washable Non-Iron Effects in Pure Wool Fabrics . . . 11
MACAULEY, N. (Baxter, Black, Giles, Rahman). Lightfastness and Surface Activity of Dyes: The Effect of Alkylation and of Sulfonation . . . 934
MACKAY, B. H. (Algie, Downes). Electrical Conduction in Keratin . . . 432
(Downes). Continuous Simultaneous Measurements of Rigidity and Regain in a Filament During a Sorption Process—**L** . . . 628
MacLEARY, B. H. (Nordon, Downes, McMahon). Sorption Kinetics of Water Vapor in Wool Fibers: Evaluation of Diffusion Coefficients and Analysis of Integral Sorption . . . 761
MAHEUX, R. G. (Petterson, Stewart, Odell). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part I:* Experimental Methods and Preliminary Results on Single Yarns . . . 411
MAKINSON, K. RACHEL. Studies of the Movement of Wool Fibers in Fabrics During Felting, with Particular Reference to the Permanency of Pleats. *Part III:* Felting in a Woolen Fabric . . . 598
MATHEWS, WALTER T., JR. (Mayne, Berkley). Effects of Blending Cottons by Fineness on Cotton Costs, Processing Efficiency, and Yarn Quality . . . 268
MAYNE, SAMUEL C., JR. (Little, Fiori). Interlaboratory Studies of the Shirley Analyzer Method—**L** . . . 319
(Mathews, Berkley). Effects of Blending Cottons by Fineness on Cotton Costs, Processing Efficiency, and Yarn Quality . . . 268
MAZUMDAR, A. K. (Chatterjee). Nature of the Degradation of Jute Cellulose and Jute Fiber in Storage—**L** . . . 324
(Sarkar, Bandyopadhyay). Effect of Acetyl Groups on the Strength of Jute Fiber—**L** . . . 71
MEDLEY, J. A. (Andrews). The Kinetics of Wool Dyeing—Some Effects of Alcohols on Wool Dyeing Rates . . . 855
MEHTA, P. C. (R. D. Mehta). Reaction of Dimethylol Urea with Cotton . . . 524
(Mody). Reaction of Dimethylol Ethylene Urea with Cotton . . . 532
MEHTA, R. D. (P. C. Mehta). Reaction of Dimethylol Urea with Cotton . . . 524
MODER, JOSEPH J. A Note on the Effects of Humidity and Actinic Exposure on Fabric Strength—**L** . . . 620
MODY, J. R. (Mehta). Reaction of Dimethylol Ethylene Urea with Cotton . . . 532
MONFORT, FRANZ. The Log-Normal Distribution of the Diameter of Wool Fibers in Top Silvers as Studied by R. Henon and J. Ott . . . 556
MOORE, A. T. (Tripp, de Gruy, Rollins). Location of Areas of Reaction in Chemically Treated Cotton Cellulose . . . 140
MOORE, W. R. Thermodynamic Properties of Dilute Solutions of Cellulose Derivatives . . . 965
MURASE, R. (Kamogawa, Sekiya). Polymerization and Condensation Reaction of N-Methylol Acrylamide Within Cotton Fabric . . . 774

NABAR, G. M. (Achwal). Action of Oxidizing Agents on Cellulose and Hydrocellulose . . . 872
(Datye). Studies in the Reaction of Formaldehyde with Cellulose—**L** . . . 72
(Daruwalla, Kangle). Acid Hydrolysis of Chemically Modified Celluloses—**L** . . . 469
NEGISHI, MICHIHARA (Itô, Takahashi). Cross-Linking of Partially Cyanoethylated Cotton. *Part III:* Acid Scouring of Amidoximate and Subsequent Formaldehyde-Curing . . . 999
NEIL, HUGH G. (Hourihan, Wood, Terrill). Fiber Alignment Device—**L** . . . 1004
NEWTON, R. C. (White). Supercontraction of Wool Fibers (A Method for Measurement)—**L** . . . 326
NORDHAMMAR, G. The Modular Weights and Lengths—Fundamental Parameters of the Fabric—**L** . . . 318
NORDON, P. (Mackay, Downes, McMahon). Sorption Kinetics of Water Vapor in Wool Fibers: Evaluation of Diffusion Coefficients and Analysis of Integral Sorption . . . 761

ODELL, F. A. (Petterson, Stewart, Maheux). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part I:* Experimental Methods and Preliminary Results on Single Yarns . . . 411
OKAMOTO, SHIN'ICHI (Fujimura). Partially Cross-Linked Viscose Rayon Nitrate—**L** . . . 796
OWENS, D. K. (Haskell). A Structural Comparison of Films Regenerated from Cellulose Acetate and Viscose . . . 993

PARDO, C. E. JR. (Koenig, Wasley). Setting Wool Textiles with Ethanolamine—**L** . . . 901
PERKERSON, FRED S. (Reeves, Tripp). Some Studies on the Cross-Linking of Cotton Cellulose. *Part I:* Chemical and Physical Aspects . . . 944
PERKINS, RITA M. (Chance, Reeves). Aldehyde-Ethylenimine Reaction Products as Finishes for Cotton Fabrics . . . 305
(Chance, Reeves). Imparting Wrinkle Resistance to Cotton with 1,1′-Carbonylbisaziridine . . . 918
(Reeves, Chance). Cotton Cross-Linked at Various Degrees of Fiber Swelling . . . 179
PETTERSON, D. R. (Stewart). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part II:* Stress-Strain Curves from Strain-Position Distributions . . . 422
(Stewart, Odell, Maheux). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part I:* Experimental Methods and Preliminary Results on Single Yarns . . . 411
PHILIPS, FREDERICK J. (Berni, Benerito). Durability of Oleophobicity of Cotton Fabrics Imparted by Fluorochemicals . . . 576
PIGACHE, PIERRE (Biserte). Studies on Wool. *Part V:* Partial Hydrolysis in Acid Reduction Medium . . . 612
PLATT, MILTON M. (Chu, Hamburger). Abstract—Investigation of the Factors Affecting the Drapeability of Fabrics . . . 66
PORTER, BLANCHE R. (Carra, Tripp, Rollins). Effect of Cellulase on Cotton Fiber Microstructure. *Part I:* Degradation by Cellulase in Fungal Growth Filtrates . . . 249
Part II: Degradation During Growth of Cellulolytic Microorganisms . . . 259
(Tripp, deGruy, Rollins). Effects of Gamma, High-Energy Electron, and Thermal Neutron Radiation on the Fibrillar Structure of Cotton Fibers . . . 510

RAHMAN, S. M. K. (Baxter, Black, Giles, Macauley). Lightfastness and Surface Activity of Dyes: The Effect of Alkylation and of Sulfonation . . . 934
RADHAKRISHNAN, T. (Shelat, Iyer). The Relation Between Crystallite Orientation and Mechanical Properties of Mercerized Cottons . . . 836
RATH, H. (Herbolsheimer, Stapf). The Mechanism of Resin Deposition in Cotton . . . 201
REEVES, WILSON A. (Berard, Gautreaux). Reply to Ruperti Letter—**L** . . . 70
(Chance, Perkins). Aldehyde-Ethylenimine Reaction Products as Finishes for Cotton Fabrics . . . 305
(Chance, Perkins). Imparting Wrinkle Resistance to Cotton with 1,1′-Carbonylbisaziridine . . . 918
(Conner, Chance). New Silicone Alloy for Durable Water Repellency on Cotton . . . 171
(Perkerson, Tripp). Some Studies on the Cross-Linking of Cotton Cellulose. *Part I:* Chemical and Physical Aspects . . . 944
(Perkins, Chance). Cotton Cross-Linked at Various Degrees of Fiber Swelling . . . 179
ROLLINS, MARY L. (Porter, Carra, Tripp). Effect of Cellulase on Cotton Fiber Microstructure. *Part I:* Degradation of Cellulase in Fungal Growth Filtrates . . . 249
Part II: Degradation During Growth of Cellulolytic Microorganisms . . . 259
(Porter, Tripp, de Gruy). Effects of Gamma, High-Energy Electron, and Thermal Neutron Radiation on the Fibrillar Structure of Cotton Fibers . . . 510
(Tripp, Moore, de Gruy). Location of Areas of Reaction in Chemically Treated Cotton Cellulose . . . 140
ROY, S. C. An X-Ray Study of Acetylated Jute . . . 451
RUPERTI, ANDREAS. Rot-Resistant Finishes for Cotton—**L** . . . 68
RUTHERFORD, HENRY A. (Armstrong, Kiser, Kirby). Vapor-Phase Polymerization of Acrylonitrile onto Cotton by Gamma Irradiation—**L** . . . 546

SALVIN, VICTOR S. (Walker). Correlation between Colorfastness and Structure of Anthraquinone Blue Disperse Dyes . . . 381
SANDOMIRE, M. M. (Wilson). The Determination of Moisture in Wool with Karl Fischer Reagent . . . 587
SANDS, JACK E. (Fiori, Brown). A Comparison of Some Physical Properties of 80 × 80 Print Cloth Produced from Three Cottons Differing Primarily in Flat Bundle Strength . . . 389
(Fiori, Louis). Blending Cottons Differing Widely in Maturity. *Part II:* Effect on the Physical Properties of a Sheeting Fabric (Type 128) . . . 926
(Louis, Tallant). Linear Densities of Fibers in Selected Length Groups of 42 Domestic and Foreign Cottons—**L** . . . 619
SARKAR, P. B. (Mazumdar, Bandyopadhyay). Effect of Acetyl Groups on the Strength of Jute Fiber—**L** . . . 71
SAVIGE, W. E. The Dispersion of Wool Protein by Thiols in Acid Solution . . . 1
SCHIEFER, HERBERT F. (Smith, Blandford). Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VI:* Velocities of Strain Waves Resulting from Inpact . . . 752
SCHWENKER, ROBERT F., JR. (Beck). The Differential Thermal Analysis of Textile and Other High Polymeric Materials—**L** . . . 624
(Dusenbury). Differential Thermal Analysis of Protein Fibers—**L** . . . 800
SEKIYA, T. (Kamogawa, Murase). Polymerization and Condensation Reaction of N-Methylol Acrylamide Within Cotton Fabric . . . 774
SEN, S. K. A Note on the Hemicelluloses of Mesta Fiber (*Hibiscus Cannabinus*)—**L** . . . 544
SHAH, JAMNADAS. Cotton Fiber Weight Distribution—**L** . . . 618
SHAW, D. C. (Bradbury). Shrinkproofing of Wool with Polyglycine from the Polymerization of Anhydrocarboxyglycine . . . 976
SHELAT, B. R. (Radhakrishnan, Iyer). The Relation Between Crystallite Orientation and Mechanical Properties of Mercerized Cottons . . . 836

SHORT, BRANT A. (Tuzson). Mass Transfer and the Washing Process . . . 983
Power Consumption of a Terg-O-Tometer . . . 989
SIL, N. K. (Bandyopadhyay). Length and Fineness of Jute Fiber Filaments at Various Stages of Yarn Production and in Yarns of Different Qualities of Fiber . . . 785
SISSON, WAYNE A. The Spinning of Rayon as Related to its Structure and Properties . . . 153
SMITH, JACK C. (Blandford, Schiefer). Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VI:* Velocities of Strain Waves Resulting from Impact . . . 752
SNAITH, J. W. A Method of Removing the Outer Layers of Animal Fibers—**L** . . . 543
SOOKNE, ARNOLD M. (Galligan, Adams, Guest, Lourigan). New Developments in Epoxide Wash-Wear Finishes for Cotton . . . 208
SPEAKMAN, J. B. (Whiteley). The Plasticity of Wool. *Part V:* The Assessment of Quality in Wool . . . 46
STANONIS, DAVID J. (King). Preparation of Partially Benzhydrylated Cotton Cellulose—**L** . . . 802
(Conrad, Harbrink, Creely). Changes in Fine Structure and Mechanical Properties Induced by Cyanoethylation of Cotton Yarns. *Part I:* Treated Without Tension . . . 339
STAPF, S. (Rath, Herbolsheimer). The Mechanism of Resin Deposition in Cotton . . . 201
STATHAM, K. W. (Graham). The Felting of Wool in Concentrated Solutions of Electrolytes—**L** . . . 151
(Graham). Tryptophan in Wool. *Part I:* Determination of the Tryptophan Content of Wool . . . 136
STEELE, RICHARD. The Relation of Wet and Dry Crease Recovery to Wash-Wear Behavior . . . 37
STEWART, G. M. (Petterson). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part II:* Stress-Strain Curves from Strain-Position Distributions . . . 422
(Whewell). The Removal of Oils from Textile Materials . . . 903
(Whewell). The Removal of Oil from Wool and its Relationship to Surface Structure . . . 912
(Petterson, Odell, Maheux). Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part I:* Experimental Methods and Preliminary Results in Single Yarns . . . 411
STUCKEY, W. C. (Hamby, Gast, Hader). The Analysis of Variations for Certain Physical Properties of Combed Cotton Yarns . . . 435
SUPPIGER, E. (Chicurel). Load Deflection Analysis of Fibers with Plane Crimp . . . 568

TAKAHASHI, KUNIO (Negishi, Itô). Cross-Linking of Partially Cyanoethylated Cotton. *Part III:* Acid Scouring of Amidoximate and Subsequent Formaldehyde-Curing . . . 999
TALLANT, JOHN D. (Fiori, Landstreet). The Effect of Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part II:* Yarns Made by Miniature Spinning Techniques from Differentially Ginned Cotton . . . 792
(Sands, Louis). Linear Densities of Fibers in Selected Length Groups of 42 Domestic and Foreign Cottons—**L** . . . 619
TERRILL, CLAIR E. (Hourihan, Neil, Wood). Fiber Alignment Device—**L** . . . 1004
TESORO, GIULIANA C. The Cross-Linking of Cotton Cellulose with Quaternary Ammonium Derivatives of Bis Chloromethyl Ethers . . . 192
THORSEN, W. J. A Computer for the Automatic Processing of Fiber, Yarn, and Fabric Stress-Strain Data . . . 827
TRIPP, VERNE W. (Perkerson, Reeves). Some Studies on the Cross-Linking of Cotton Cellulose. *Part I:* Chemical and Physical Aspects . . . 944
(Moore, de Gruy, Rollins). Location of Areas of Reaction in Chemically Treated Cotton Cellulose . . . 140
(Porter, Carra, Rollins). Effect of Cellulase on Cotton Fiber Microstructure. *Part I:* Degradation of Cellulase in Fungal Growth Filtrates . . . 249
Part II: Degradation During Growth of Cellulolytic Microorganisms . . . 259
(Porter, de Gruy, Rollins). Effects of Gamma, High-Energy Electron, and Thermal Neutron Radiation on the Fibrillar Structure of Cotton Fibers . . . 510
TUZSON, JOHN S. (Short). Mass Transfer and the Washing Process . . . 983
Power Consumption of a Terg-O-Tometer . . . 989

VOSBURGH, W. G. The Heat Treatment of Orlon Acrylic Fiber to Render it Fireproof . . . 882

WALKER, P. G. A Measure of the Variation in Blend Proportions along Blended Yarns and its Relation to the Number of Doublings Used in Processing . . . 843
WALKER, RUTH A. (Salvin). Correlation between Colorfastness and Structure of Anthraquinone Blue Disperse Dyes . . . 381
WASLEY, W. L. (Koenig, Pardo). Setting Wool Textiles with Ethanolamine—**L** . . . 901
WATT, I. C. Kinetic Studies of the Wool–Water System. *Part I:* The Influence of Water Concentration . . . 427
(Kennett). Variations in the Equilibrium Weight of Wool at Zero Humidity . . . 489
WEGJAN, KLARA (Fröhlich). Applicability of the Alkaline Thioglycollate Extraction Test for Detection of Wool Damage—**L** . . . 73
WEIDINGER, A. (Hermans). Effect of the Technique of Exposure on the Characteristic Parameters Which Can be Derived from X-Ray Exposures of Rayon . . . 770
WEINER, LOUIS I. (Laible). Russian and Satellite Research and Development in the Field of Synthetic Fibers . . . 239
WEISSBEIN, LEONARD (Coven). The Physical State of Direct Dyes in Viscose and its Influence of Lightfastness. *Part I:* A Method of Examining the Physical State of Direct Dyes in Viscose . . . 58
Part II: The Relation between the Physical State of Direct Dyes in Viscose and Lightfastness . . . 62
WHEWELL, C. S. (Stewart). The Removal of Oil from Wool and its Relationship to Surface Structure . . . 912
(Stewart). The Removal of Oils from Textile Materials . . . 918
WHITE, HOWARD J., JR. Some Theoretical Considerations of the Dyeing of Cellulose Acetate with Disperse Dyes . . . 329
WHITE, R. H. (Newton). Supercontraction of Wool Fibers (A Method for Measurement)—**L** . . . 326
WHITELEY, K. J. (Speakman). The Plasticity of Wool. *Part V:* The Assessment of Quality in Wool . . . 46
WILSON, JOHN R. (Sandomire). The Determination of Moisture in Wool with Karl Fischer Reagent . . . 587
WOOD, HORACE D., JR. (Hourihan, Neil, Terrill). Fiber Alignment Device—**L** . . . 1004
WU, CHANG-NING (Dusenbury, Dansizer). Mechanical Properties of Feather and Down Fibers. *Part I:* Measurements at 65% RH and 70° F. . . . 277
Part II: Design and Operation of a Vacuum Vibroscope . . . 290

SUBJECT INDEX

ABRASION, cotton's resistance to (*McNally, McCord*) 715
ACETATE FIBERS
Arnel 60, a new cellulose triacetate staple fiber; structure and properties (*Sprague*) 697
ACETYLATION
an x-ray study of acetylated jute (*Roy*) 541
ACETYL groups, their effect on the strength of jute fiber (*Sarkar, Mazumdar, Bandyopadhyay*)—**L** 71
ACID HYDROLYSIS of chemically modified celluloses (*Daruwalla, Kangle, Nabar*)—**L** 469
ACID REDUCING MEDIUM, partial hydrolysis of wool in (*Pigache, Biserte*) 612
ACRYLIC FIBERS
heat treatment of Orlon to make it fireproof (*Vosburgh*) 882
reversible crimp in (*Hicks, Ryan, Taylor, Tichenor*) 675
ACRYLONITRILE
radiation-polymerized; properties of cotton containing (*Arthur, Demint*) 505
vapor-phase polymerization of onto cotton by gamma irradiation (*Rutherford, Armstrong, Kiser, Kirby*)—**L** 546
ACTINIC EXPOSURE and humidity; effects on fabric strength (*Moder*)—**L** 620
ALCOHOLS; effects of on wool dyeing rates (*Medley, Andrews*) . . 855
ALDEHYDE-ETHYLENIMINE REACTION PRODUCTS as finishes for cotton fabrics (*Chance, Perkins, Reeves*) 305
ALKALINE THIOGLYCOLLATE extraction test for detection of wool damage (*Wegjan, Fröhlich*)—**L** 73
ALKYLATION
effect on the lightfastness and surface activity of dyes (*Baxter, Black, Giles, Macauley, Rahman*) 934
ALPHA-BETA TRANSFORMATION in wool keratin, a quantitative x-ray diffraction study of (*Bendit*) 547
AMINIZATION of cotton, effects of (*McDonald, Humphreys, Grant*) 312
AMINO ACID
analysis of cuticle-rich material from wool (*Bradbury*) 128
composition of oxidized normal and copper-deficient wool fractions and further attempts at fractionation (*Burley, Horden*) . . . 484
AMINO ACIDS
tryptophan in wool (*Graham, Statham*) 136
ANALYSIS OF VARIATIONS for certain physical properties of combed cotton yarns (*Hamby, Stuckey, Gast, Hader*) 435
ANALYTICAL PROCEDURES
amino-acid composition of normal and copper-deficient wool fractions (*Burley, Horden*) 484
fractionation of oxidized wool (*Burley*) 473
amino acids in cuticle-rich material from wool (*Bradbury*) . . . 128
determination of carboxyl groups in cellulose and oxidized cellulose (*Epstein, Lewin*) 652
determination of moisture in wool with Karl Fischer reagent (*Wilson, Sandomire*) 587
differential thermal analysis of textile and other high polymeric materials (*Schwenker, Beck*)—**L** 624
interpretation of staining results obtained by the Procion Black HGS procedure (*Kato*)—**L** 540
method of removing the outer layers of animal fibers (*Snaith*)—**L** 543
tryptophan in wool (*Graham, Statham*) 136
ANIMAL FIBERS; a method of removing the outer layers of (*Snaith*)—**L** 543
ANTHRAQUINONE BLUE DISPERSE DYES; correlation between colorfastness and structure of (*Salvin, Walker*) 381
ARNEL 60; a new cellulose triacetate staple fiber; structure and properties (*Sprague*) 697
AUSTRALIA; some developments in wool textile research in (*Lipson*) 680

BALLOONING YARN APPARATUS with linear yarn movement (*Brunnschweiler, Cotterill, Hodgkinson*)—**L** 616
BENDING PROPERTIES; effect of twist on (*Cooper*)—**L** 150
BENZHYDRYLATION
preparation of partially benzhydrylated cotton cellulose (*Stanonis, King*)—**L** 802
BILATERAL STRUCTURE of crimped and steely wools (*Lowe*) . . . 606
BLEACHING
hydrogen peroxide
the stabilizer in (*Cates, Cranor*) 848
sodium chlorite (*Hefti*) 861
decomposition with sodium chlorite (*Hefti*) 867
BLENDING
cottons differing widely in maturity; effect on the physical properties of a sheeting fabric (type 128) (*Fiori, Louis, Sands*) . . 926
a measure of the variation in blend proportions along blended yarns and its relation to the number of doublings used in processing (*Walker*) 843
of short fibers in cotton; its effect on processing efficiency and product quality (*Tallant, Fiori, Landstreet*) 792
BROMIDE, acid, shrinkproofing of wool in concentrated salt solutions (*McPhee*) 358

1,1′-CARBONYLBISAZIRIDINE; imparting wrinkle resistance to cotton with (*Chance, Perkins, Reeves*) 918
CARBOXYL GROUPS; determination of in cellulose and oxidized cellulose (*Epstein, Lewin*) 652
CELLULASE; degradation of cotton fiber microstructure by (*Porter, Tripp, Carra, Rollins*) 249
CELLULOSE
chemically modified; acid hydrolysis of (*Daruwalla, Kangle, Nabar*)—**L** 469
determination of carboxyl groups in cellulose and oxidized cellulose (*Epstein, Lewin*) 652
effect of oxidizing agents on (*Achwal, Nabar*) 872
perfluoro-esters of; preparation and rates of hydrolysis (*Benerito, Berni, Fagley*) 393
reaction with formaldehyde (*Datye, Nabar*)—**L** 72
CELLULOSE ACETATE
structural comparison of films regenerated from cellulose acetate and viscose (*Haskell, Owens*) 993
theoretical considerations of dyeing with disperse dyes (*White*) 329
CELLULOSE DERIVATIVES
thermodynamic properties of dilute solutions of (*Moore*) 965
COHESION of worsted yarns, factors influencing (*Barella, Miró, Crespo*) 633
COLORFASTNESS and structure of anthraquinone blue disperse dyes (*Salvin, Walker*) 381
COMPRESSIONAL BEHAVIOR of textile fibers (*Backer*)—**L** . . . 405
—— (Miles)—**L** 408
COMPUTER for the automatic processing of fiber, yarn, and fabric stress-strain data (*Thorsen*) 827
COTTON
abrasion resistance of (*McNally, McCord*) 715
aminization, effects of (*McDonald, Humphreys, Grant*) 312
blending by fineness; effect on cotton costs, processing efficiency, and yarn quality (*Mayne, Mathews, Berkley*) 268
blending cottons differing widely in maturity; effect on the physical properties of a sheeting fabric (type 128) (*Fiori, Louis, Sands*) 926
containing radiation-polymerized acrylonitrile; properties of (*Arthur, Demint*) 505
cross-linked at various degrees of fiber swelling (*Reeves, Perkins, Chance*) 179
epoxide wash-wear finishes for, new developments in (*Galligan, Sookne, Adams, Guest, Lourigan*) 208
knit goods, performance characteristics of chemically stabilized (*Irvine*) 222
mercerized
relation between crystallite orientation and mechanical properties of (*Iyer, Shelat, Radhakrishnan*) 836
partially cyanoethylated; acid scouring of amidoximate and subsequent formaldehyde-curing (*Negishi, Itô, Takahashi*) . . 999
reaction of dimethylol ethylene urea with (*Mehta, Mody*) 532
reaction of dimethylol urea with (*Mehta, Mehta*) 524
resin deposition in, the mechanism of (*Rath, Herbolsheimer, Slaaf*) 201
rot-resistant finishes for (*Ruperti*)—**L** 68
reply (*Berard, Gautreaux, Reeves*)—**L** 70
short fibers; their effect on processing efficiency and product quality (*Tallant, Fiori, Landstreet*) 792
spinning test for, a miniature (*Dunkerley*)—**L** 238
vapor-phase polymerization of acrylonitrile onto cotton by gamma irradiation (*Rutherford, Armstrong, Kiser, Kirby*)—**L** . 546
water repellency
new silicone alloy for (*Reeves, Conner, Chance*) 171
weathering, resistance to (*Howard, McCord*) 75
wrinkle resistance imparted to with 1,1′-carbonylbisaziridine (*Chance, Perkins, Reeves*) 918
COTTON CELLULOSE
chemically treated, location of areas of reaction in (*Tripp, Moore, deGruy, Rollins*) 140
cross-linking of; chemical and physical aspects (*Perkerson, Reeves, Tripp*) 944
partially benzhydrylated; preparation of (*Stanonis, King*)—**L** . 802
COTTON FABRIC
aldehyde-ethylenimine reaction products as finishes for (*Chance, Reeves, Perkins*) 305
a comparison of some physical properties of 80 × 80 print cloth produced from three cottons differing primarily in flat bundle strength (*Sands, Fiori, Brown*) 389
polymerization and condensation reaction of N-methylol acrylamide within cotton fabric (*Kamogawa, Murase, Sekiya*) . . . 774
treated with fluorochemicals; durability of oleophobicity (*Berni, Benerito, Philips*) 576
wrinkle-resistant; effects of cross-linking in (*Frick, Andrews, Reid*) 495
COTTON FIBER
degradation of by cellulase (*Porter, Carra, Tripp, Rollins*) . . . 249
effect of gamma, high-energy electron, and thermal neutron radiation on the fibrillar structure of (*Porter, Tripp, deGruy, Rollins*) 510
linear densities (*Shah*)—**L** 618
—— (*Sands, Louis, Tallant*)—**L** 619
microstructure, effect of cellulase on (*Porter, Carra, Tripp, Rollins*) 249
weight distribution (*Shah*)—**L** 618
—— (*Sands, Louis, Tallant*)—**L** 619
COTTON PROCESSING
a comparison of some physical properties of an 80 × 80 print cloth produced from three cottons differing primarily in flat bundle strength (*Sands, Fiori, Brown*) 389
effect of blending cottons by fineness on cotton costs, processing efficiency, and yarn quality (*Mayne, Mathews, Berkley*) . . . 268

effect of short fibers on processing efficiency and product quality; yarns made by miniature spinning techniques from differentially ginned cottons (*Tallant, Fiori, Landstreet*) 792
interlaboratory studies of the Shirley Analyser Method (*Little, Fiori, Mayne*)—**L** 319
a miniature spinning test for cotton (*Dunkerley*)—**L** 238
recent improvements in machinery and methods (*Rusca*) . . . 685
COTTON YARN
analysis of variations for certain physical properties of combed cotton yarns (*Hamby, Stuckey, Gast, Hader*) 435
cyanoethylated without tension; changes in fine structure and mechanical properties (*Conrad, Stanonis, Harbrink, Creely*) . . 339
made by miniature spinning techniques from differentially ginned cotton (*Tallant, Fiori, Landstreet*) 792
CREASE RECOVERY, wet and dry; relation to wash-wear behavior (*Steele*) 37
CREASE RETENTION
behavior of pleated strips of wool fabric in an extensometer (*Holdaway*) 296
modifications due to pleat curvature and other second order effects (*Holdaway*) 456
CRIMP
load deflection analysis of fibers with plane crimp (*Chicurel, Suppiger*) 568
the origin of in wool fibers (*Louw*) 606
reversible, in an acrylic fiber (*Hicks, Ryan, Taylor, Tichenor*) . . 675
CROSS-LINKING
effects of in wrinkle-resistant cotton fabrics (*Frick, Andrews, Reid*) 495
of cotton cellulose; chemical and physical aspects (*Perkerson, Reeves, Tripp*) 944
of partially cyanoethylated cotton; acid scouring of amidoximate and subsequent formaldehyde-curing (*Negishi, Itô, Takahashi*) 999
partially cross-linked viscose rayon nitrate (*Fujimura, Okamoto*) —**L** 796
CRYSTALLINITY, terminology for empirical measurements of (*Ant-Wuorinen*)—**L** 402
—— (*Segal, Creely, Conrad*)—**L** 404
CRYSTALLITE ORIENTATION and mechanical properties of mercerized cottons; relationship between (*Shelat, Iyer, Radhakrishnan*) 836
CYANOETHYLATION
changes in fine structure and mechanical properties of cotton yarns cyanoethylated without tension (*Conrad, Stanonis, Harbrink, Creely*) 339
cross-linking of partially cyanoethylated cotton; acid scouring of amidoximate and subsequent formaldehyde-curing (*Negishi, Itô, Takahashi*) 999

DIFFERENTIAL THERMAL ANALYSIS
of protein fibers (*Schwenker, Dusenbury*)—**L** 800
of textile and other high polymeric materials (*Schwenker, Beck*)—**L** 624
DIMETHYLOL ETHYLENE UREA; reaction with cotton (*Mehta, Mody*) 532
DIMETHYLOL UREA; reaction with cotton (*Mehta, Mehta*) . . . 524
DIMETHYL SULFIDE; action of on wool (*Koenig, O'Connell*)—**L** . 712
DIRECT DYES
the physical state of in viscose and its influence on lightfastness (*Weissbein, Coven*) 58
DISPERSE DYES
correlation between colorfastness and structure of anthraquinone blue disperse dyes (*Salvin, Walker*) 381
theories of dyeing cellulose acetate with (*White*) 329
DOWN AND FEATHER FIBERS, mechanical properties of (*Dusenbury, Wu, Dansizer*) 277
DRAPEABILITY of fabrics; factors influencing (*Chu, Platt, Hamburger*) 66
DYEING of wool; effects of alcohols on dyeing rates (*Medley, Andrews*) 855
DYES
effect of alkylation and sulfonation on lightfastness and surface activity (*Baxter, Black, Giles, Macauley, Rahman*) 934

ELECTRICAL CONDUCTION
in keratin (*Algie, Downes, Mackay*) 432
in keratin; effect of ultraviolet light (*Algie, Haly*)—**L** 627
ELMENDORF and Instron tearing strength results; correlation of (*Krasny, Borton*)—**L** 400
ENTROPY STRESS STUDY of various textile fibers (*Dart*) . . . 372
ETHANOLAMINE, setting wool textiles with (*Koenig, Wasley, Pardo*)—**L** 901
EXTENSOMETER
behavior of pleated strips of wool fabric in an extensometer (*Holdaway*) 296
modifications due to pleat curvature and other second order effects (*Holdaway*) 456

FABRIC PARAMETERS—modular weights and lengths (*Nordhammar*)—**L** 318
FABRIC STRENGTH; effects of humidity and actinic exposure (*Moder*)—**L** 620
FABRICS
drapeability of, factors influencing (*Chu, Platt, Hamburger*) . . . 66
finishes for—see Wash-Wear, Creaseproofing, etc. and individual fabric headings
nonwoven; some principles of (*Backer, Petterson*) 704
FEATHER AND DOWN FIBERS, mechanical properties of (*Dusenbury, Wu, Dansizer*) 277
FELTING
in a woolen fabric (Makinson) 598
of wool in concentrated solutions of electrolytes (*Graham, Stalham*) —**L** 151

FIBER ALIGNMENT DEVICE (*Hourihan, Neil, Wood, Terrill*)—**L** 1004
FIBER PROPERTIES and fabric wrinkle recovery; relationship between (*Daniels*) 656
FIBERS
compressional behavior of (*Backer*)—**L** 405
—— (*Miles*)—**L** 408
entropy stress study of various textile fibers (*Dart*) 372
experimental; application of microscopical techniques to the evaluation of (*Bolty, Felton, Anderson*) 959
surface studies (*Lyons*) 955
twisted single; the tensile properties of (*Dent, Hearle*) 805
with plane crimp, load deflection analysis of (*Chicurel*) 568
FILAMENTS within yarns; deformation of due to transverse forces (*Hearle, El-Behery*)—**L** 322
FILMS
structural comparison of films regenerated from cellulose acetate and viscose (*Haskell, Owens*) 993
FINISHING AGENTS—See particular agent or particular fabric desired
FIREPROOFING
heat treatment of Orlon to make it fireproof (*Vosburgh*) 882
FLAX, direct nitration of (*Lewin, Epstein*) 520
FLUOROCHEMICALS, durability of oleophobicity of cotton fabrics treated with (*Berni, Benerito, Philips*) 576
FORMALDEHYDE, reaction with cellulose (*Datye, Nabar*)—**L** . . 72
FORMALDEHYDE-CURING of partially cyanoethylated cotton (*Negishi, Itô, Takahashi*) 999

GAMMA RADIATION
effect on fibrillar structure of cotton fibers (*Porter, Tripp, deGruy, Rollins*) 510
properties of cotton containing radiation-polymerized acrylonitrile (*Arthur, Demint*) 505
vapor-phase polymerization of acrylonitrile onto cotton by (*Rutherford, Armstrong, Kisser, Kirby*)—**L** 546

HEAT TREATMENT of Orlon to render it fireproof (*Vosburgh*) . . 882
HIGH-ENERGY ELECTRON RADIATION, effect on fibrillar structure of cotton fibers (*Porter, Tripp, deGruy, Rollins*) . . 510
HIGH-SPEED IMPACT
dynamic distribution of strain in textile materials under high-speed impact (*Petterson, Stewart, Odell, Maheux*) 411
HUMIDITY and actinic exposure; effects on fabric strength (*Moder*) —**L** 620
HYDROCELLULOSE, effect of oxidizing agents on (*Achwal, Nabar*) 872
HYDROCHLORIC ACID, effect on supercontraction of wool fibers (*Crewther, Dowling*) 23
HYDROGEN PEROXIDE BLEACHING, the stabilizer in (*Cates, Cranor*) 848

INDEX OF CRYSTALLINITY
use of the term (*Ant-Wuorinen*)—**L** 402
—— (*Segal, Creely, Conrad*)—**L** 404
INDEX OF IRREGULARITY for jute yarn (*Bandyopadhyay*) . . . 782
INSTRON and Elmendorf tearing strength results; correlation of (*Krasny, Borton*)—**L** 400
IODINATION
the x-ray diffraction pattern of iodinated wools (*Haly, Feughelman*) —**L** 622

JUTE
acetylated, an x-ray study of (*Roy*) 451
cellulose; nature of the degradation of during storage (*Chatterjee, Mazumdar*)—**L** 324
direct nitration of (*Lewin, Epstein*) 520
fiber filaments; length and fineness of at various stages of yarn production and in yarns of different qualities of fiber (*Bandyopadhyay, Sil*) 785
fibers, alkali-treated; tensile properties of (*Baubaji*)—**L** 798
fibers, effect of acetyl groups in the strength of (*Sarkar, Mazumdar, Bandyopadhyay*)—**L** 71
fibers, nature of the degradation of during storage (*Chatterjee, Mazumdar*)—**L** 324
kinetic friction of (*Chakravarty*) 592
yarn; the true index of irregularity for (*Bandyopadhyay*) 782

KARL FISCHER REAGENT; determination of moisture in wool with (*Wilson, Sandomire*) 587
KERATIN
electrical conduction in (*Algie, Downes, Mackay*) 432
a quantitative x-ray diffraction study of the alpha–beta transformation in wool keratin (*Bendit*) 547
ultraviolet light and conduction in (*Algie, Haly*)—**L** 627
KINETIC STUDIES
of the wool-water system; the influence of water concentration (*Watt*) 443
mechanism of two-stage absorption (*Watt*) 644
KNIT GOODS, chemically stabilized; performance characteristics of (*Irvine*) 222

LIGHTFASTNESS
and surface activity of dyes; the effect of alkylation and of sulfonation (*Baxter, Black, Giles, Macauley, Rahman*) 934
of direct dyes in viscose; relation to the physical state of the dye (*Weissbein, Coven*) 58
LINCOLN WOOL, mechanical properties of ortho- and para-like components of (*Feughelman, Haly*) 897
LOAD DEFLECTION ANALYSIS of fibers with plane crimp (*Chicurel, Suppiger*) 568
LOG-NORMAL DISTRIBUTION of the diameter of wool fibers in top slivers as studied by R. Henon and J. Ott (*Monfort*) . . . 556

MAN-MADE FIBERS
application of microscopical techniques to the evaluation of experimental fibers (*Bolty, Felton, Anderson*) . . . 959
Arnel 60, a new cellulose triacetate staple fiber; structure and properties (*Sprague*) . . . 697
new developments in polyvinyl alcohol fibers (*Wells, Morgan*) . 668
Orlon; heat treatment to make it fireproof (*Vosburgh*) . . . 882
reversible crimp in an acrylic fiber (*Hicks, Ryan, Taylor, Tichenor*) 675
Russian and satellite research and development in (*Laible, Weiner*) . . . 239
SM27, a man-made high-modulus cellulosic fiber (*Lund, Wharton*) 692
MASS TRANSFER and the washing process (*Tusson, Short*) . . . 983
MATURITY
effect of blending cottons differing widely in maturity on the physical properties of a sheeting fabric (*Fiori, Louis, Sands*) . 926
MERCERIZED COTTONS
relation between crystallite orientation and mechanical properties of (*Shelat, Iyer, Radhakrishnan*) . . . 836
MESTA FIBER, a note on the hemicelluloses of (*Sen*)—**L** . . . 544
MICROSCOPICAL STUDIES
interpretation of staining results obtained by the Procion Black HGS procedure (*Kalo*)—**L** . . . 540
MICROSCOPICAL TECHNIQUES
application to the evaluation of experimental fibers (*Bolty, Felton, Anderson*) . . . 959
MODULAR WEIGHTS AND LENGTHS—fundamental parameters of the fabric (*Nordhammar*)—**L** . . . 318
MOISTURE
torque–twist relationships and torsional relaxation in wet and dry single wool fibers (*Mitchell, Feughelman*) . . . 662

N-METHYLOL ACRYLAMIDE, polymerization and condensation reaction of within cotton fabric (*Kamogawa, Murase, Sekiya*) . 774
NITRATION, direct, of flax and jute (*Lewin, Epstein*) . . . 520
NITRIC ACID, effect on supercontraction of wool fibers (*Crewther, Dowling*) . . . 23
NONWOVEN FABRICS, some principles of (*Backer, Petterson*) . . 704

OIL
removal from textile materials (*Stewart, Whewell*) . . . 903
removal from wool and its relationship to surface structure (*Stewart, Whewell*) . . . 912
OLEOPHOBICITY, durability of in cotton fabrics treated with fluorochemicals (*Berni, Benerito, Philips*) . . . 576
ORLON, heat treatment of to render it fireproof (*Vosburgh*) . . . 882
ORTHO-PARA DIFFERENTIATION
mechanical properties of the ortho- and para-like components of Lincoln wool fibers (*Feughelman, Haly*) . . . 897
OXIDIZED CELLULOSE, determination of carboxyl groups in (*Epstein, Lewin*) . . . 652
OXIDIZED WOOL, dissolution and fractionation of (*Burley*) . . 473
OXIDIZING AGENTS
effect on cellulose and hydrocellulose (*Achwal, Nabar*) . . . 872
reaction on wool in concentrated salt solutions (*McPhee*) . . . 349

PERFLUORO-ESTERS OF CELLULOSE; preparation and rates of hydrolysis of (*Benerito, Berni, Fagley*) . . . 393
PERMANGANATE, neutral; shrinkproofing of wool in concentrated salt solutions (*McPhee*) . . . 358
PLASTICITY of wool (*Whiteley, Speakman*) . . . 46
PLEAT RETENTION
behavior of pleated strips of wool fabric in an extensometer (*Holdaway*) . . . 296
modifications due to pleat curvature and other second order effects (*Holdaway*) . . . 456
POLYGLYCINE
shrinkproofing of wool with (*Bradbury, Leeder*) . . . 118
shrinkproofing of wool with polyglycine from the polymerization of anhydrocarboxyglycine (*Bradbury, Shaw*) . . . 976
POLYMERIZATION
and condensation reaction of N-methylol acrylamide within cotton fabric (*Kamogawa, Murase, Sekiya*) . . . 774
properties of cotton containing radiation-polymerized acrylonitrile (*Arthur, Demint*) . . . 505
shrinkproofing of wool with polyglycine from the polymerization of anhydrocarboxyglycine (*Bradbury, Shaw*) . . . 976
POLYVINYL ALCOHOL FIBERS, new developments in (*Wells, Morgan*) . . . 668
PROCESSING
recent improvements in textile processing machinery and methods (*Rusca*) . . . 685
relation of variations in blend proportions in blended yarns to the number of doublings used in processing (*Walker*) . . . 843
PROCION BLACK HGS PROCEDURE; interpretation of staining results obtained by (*Kalo*)—**L** . . . 540
PROTEIN, wool; the dispersion of by thiols in acid solution (*Sarige*) 1
PROTEIN FIBERS, differential thermal analysis of (*Schwenker, Dusenbury*)—**L** . . . 800

RADIATION—*See* types of radiation desired
RAPID-IMPACT LOADING
velocities of strain waves resulting from impact—yarns subjected to rapid impact loading (*Smith, Blandford, Schiefer*) . . . 752
RAYON
effect of technique of exposure on the characteristic parameters which can be derived from x-ray exposure of rayon (*Hermans, Weidinger*) . . . 770
SM27, a man-made high-modulus cellulosic fiber (*Lund, Wharton*) 692
spinning as related to structure and properties (*Sisson*) . . . 153
structure and properties; relationship to spinning (*Sisson*) . . . 153
REGAIN and rigidity in a filament during sorption; continuous simultaneous measurements of (*Mackay, Downes*)—**L** . . . 628
RESIN DEPOSITION on cotton, the mechanism of (*Rath, Herbolsheimer, Stapf*) . . . 201
RIGIDITY and regain in a filament during sorption; continuous simultaneous measurements of (*Mackay, Downes*)—**L** . . . 628
ROSELLE FIBER
the hemicelluloses of (*Das Gupta*)—**L** . . . 237
some physical observations on (*Bose*)—**L** . . . 545
ROT RESISTANCE
finishes for, on cotton (*Ruperti*)—**L** . . . 68
reply (*Berard, Gautreaux, Reeves*)—**L** . . . 70
RUSSIAN AND SATELLITE RESEARCH and development in synthetic fibers (*Laible, Weiner*) . . . 239

SALT SOLUTIONS
effect of oxidizing agents on wool in (*McPhee*) . . . 349
shrinkproofing of wool with neutral permanganate or acid bromide in concentrated salt solutions (*McPhee*) . . . 358
SHIRLEY ANALYSER METHOD, interlaboratory studies of (*Little, Fiori, Mayne*)—**L** . . . 319
SHRINKPROOFING
of wool with neutral permanganate or acid bromide in concentrated salt solutions (*McPhee*) . . . 358
of wool with polyglycine (*Bradbury, Leeder*) . . . 118
of wool with polyglycine from the polymerization of anhydrocarboxyglycine (*Bradbury, Shaw*) . . . 976
SILICONE ALLOY for durable water repellency of cotton (*Conner, Reeves, Chance*) . . . 171
SKIN-CORE STRUCTURE
interpretation of staining results obtained by the Procion Black HGS procedure (*Kalo*)—**L** . . . 540
SM27, a man-made high-modulus cellulosic fiber (*Lund, Wharton*) . 692
SODIUM CHLORITE BLEACHING
bleaching studies (*Hefti*) . . . 861
decomposition studies (*Hefti*) . . . 867
SORPTION
continuous simultaneous measurements of rigidity and regain in a filament during a sorption process (*Mackay, Downes*)—**L** . . 628
evaluation of diffusion coefficients and analysis of integral sorption in wool (*Nordon, Downes, Mackay, McMahon*) . . . 761
mechanism of two-stage absorption in wool (*Watt*) . . . 644
variations in the equilibrium weight of wool at zero humidity (*Watt, Kennett*) . . . 489
SPINNING
yarns made by miniature spinning techniques from differentially ginned cotton (*Tallant, Fiori, Landstreet*) . . . 792
SPINNING TEST for cotton, a miniature (*Dunkerley*)—**L** . . . 238
STAINING RESULTS obtained by the Procion Black HGS procedure; interpretation of (*Kalo*)—**L** . . . 540
STRAIN in textile materials under high-speed impact, dynamic distribution of (*Petterson, Stewart*) . . . 422
STRESS-STRAIN DATA
fiber, yarn, and fabric; a computer for the automatic processing of (*Thorsen*) . . . 827
STRESS-STRAIN RELATIONSHIPS
velocities of strain waves resulting from impact—yarns subjected to rapid impact loading (*Smith, Blandford, Schiefer*) . . . 752
SULFONATION; effect on the lightfastness and surface activity of dyes (*Baxter, Black, Giles, Macauley, Rahman*) . . . 934
SURFACE ACTIVITY and lightfastness of dyes; the effect of alkylation and of sulfonation (*Baxter, Black, Giles, Macauley, Rahman*) . . . 934
SUPERCONTRACTION
and setting behavior of modified wool fibers (*Haly, Feughelman*) . 365
of wool fibers; a method of measurement (*Newton, White*)—**L** . . 326
SURFACE GEOMETRY of fibers (*Lyons*) . . . 955
SURFACE STRUCTURE
removal of oil from wool; its effect on (*Stewart, Whewell*) . . . 912
SYNTHETIC FIBERS—*See* **Man-Made Fibers**

TEARING STRENGTH; correlation of Instron and Elmendorf results (*Krasny, Borton*)—**L** . . . 400
TENSILE PROPERTIES
of alkali-treated jute fibers (*Banbaji*)—**L** . . . 798
of twisted single fibers (*Dent, Hearle*) . . . 805
TERG-O-TOMETER, power consumption of (*Tusson, Short*) . . . 989
THERMAL NEUTRON RADIATION; effect on fibrillar structure of cotton fibers (*Porter, Tripp, deGruy, Rollins*) . . . 510
THERMODYNAMIC PROPERTIES of dilute solutions of cellulose derivatives (*Moore*) . . . 965
THIOGLYCOLLATE extraction test for the detection of wool damage (*Wegjan, Fröhlich*)—**L** . . . 73
THIOLS, dispersion of wool protein in acid solution by (*Sarige*) . . 1
TOP SLIVERS
the log-normal distribution of the diameter of wool fibers in, as studied by R. Henon and J. Ott (*Monfort*) . . . 556
TORQUE-TWIST RELATIONSHIPS and torsional relaxation in wet and dry single wool fibers (*Mitchell, Feughelman*) . . . 662
TORSIONAL RELAXATION and torque–twist relationships in wet and dry single wool fibers (*Mitchell, Feughelman*) . . . 662
TRYPTOPHAN in wool (*Graham, Statham*) . . . 136
TWIST; effect on bending properties (*Cooper*)—**L** . . . 150

ULTRAVIOLET LIGHT and conduction in keratin (*Algie, Haly*)—**L** 627

VAPOR-PHASE POLYMERIZATION of acrylonitrile onto cotton by gamma irradiation (*Rutherford, Armstrong, Kiser, Kirby*)—**L** 546
VIBROSCOPE
design and operation of a vacuum vibroscope (*Dusenbury, Wu, Danziger*) . . . 277
nomogram for use with (*Epstein*)—**L** . . . 148

VISCOSE
partially cross-linked, nitrated (*Fujimura, Okamoto*)—**L** 796
physical state of direct dyes in viscose and its influence on light-fastness (*Weissbein, Coven*) 58
structural comparison of films regenerated from cellulose acetate and viscose (*Haskell, Owens*) 993

WASHING PROCESS and mass transfer (*Tuson, Short*) 983
WASH-WEAR
behavior; the relation of wet and dry crease recovery to (*Steele*) . 37
effect of fiber parameters on wash-wear characteristics of wool fabrics (*Krasny, Harris*)—**L** 234
epoxide wash-wear finishes for cotton, new developments in (*Galligan, Sookne, Adams, Guest, Lourigan*) 208
in pure wool fabrics (*Farnworth, Lipson, McPhee*) 11
WATER REPELLENCY of cotton; new silicone alloy for (*Conner, Reeves, Chance*) 171
WEATHERING
cotton's resistance to (*Howard, McCord*) 75
and resulting chemical changes in some South African Merino wools (*Louw*) 462
effects of humidity and actinic exposure on fabric strength (*Moder*)—**L** 620
WOOL
action of dimethyl sulfide on (*Koenig, O'Connell*)—**L** 712
alkaline thioglycollate extraction test for detection of damage (*Wegjan, Fröhlich*)—**L** 73
amino acid analysis; tryptophan (*Graham, Statham*) 136
amino-acid analysis of cuticle-rich material from (*Bradbury*) . . 128
assessment of quality in (*Whiteley, Speakman*) 46
bilateral structure of crimped and steely wool; the origin of fiber crimp (*Louw*) 606
determination of moisture in with Karl Fischer reagent (*Wilson, Sandomire*) 587
dyeing of; effects of alcohols on the wool dyeing rates (*Medley, Andrews*) 855
effect of nitric and hydrochloric acids on wool with particular reference to supercontraction of the fibers (*Crewther, Dowling*) 23
felting in concentrated solutions of electrolytes (*Graham, Statham*)—**L** 151
from copper-deficient sheep; physical measurements on intact fibers (*Burley*) 473
iodinated; the x-ray diffraction pattern of (*Haly, Feughelman*)—**L** 622
keratin, a quantitative x-ray diffraction study of the alpha–beta transformation in (*Bendit*) 547
oxidized, amino-acid composition of normal and copper-deficient wool (*Burley, Horden*) 484
oxidized; measurements on the dissolution and fractionization of (*Burley*) 473
partial hydrolysis in acid reducing medium (*Pigache, Biserte*) . . 612
plasticity of (*Whiteley, Speakman*) 46
protein, the dispersion of by thiols in acid solution (*Savige*) . . . 1
reaction with oxidizing agents in concentrated salt solutions (*McPhee*) 349
removal of oil from; its relationship to surface structure (*Stewart, Whewell*) 912
shrinkproofing with neutral permanganate or acid bromide in concentrated salt solution (*McPhee*) 358
shrinkproofing with polyglycine from the polymerization of anhydrocarboxyglycine (*Bradbury, Shaw*) 976
shrinkproofing with polyglycine from the polymerization of thiazolid-2:5-dione (*Bradbury, Leeder*) 118
sorption
evaluation of diffusion coefficients and analysis of integral sorption (*Nordon, Downes, Mackay, McMahon*) 761
mechanism of two-stage absorption (*Watt*) 644
variations in the equilibrium weight of wool at zero humidity (*Watt, Kennett*) 489
textiles; setting with ethanolamine (*Koenig, Wasley, Pardo*)—**L** . 901
tryptophan content; determination of (*Graham, Statham*) . . . 136
variations in the equilibrium weight of wool at zero humidity (*Watt, Kennett*) 489
wash-wear
effect of fiber parameters on wash-wear characteristics of fabrics (*Krasny, Harris*)—**L** 234
weathering and resultant chemical changes in some South African Merino wools (*Louw*) 462
WOOL FABRIC
behavior of pleated strips in an extensometer (*Holdaway*) 296
modifications due to pleat curvature and other second order effects (*Holdaway*) 456
development of washable non-iron effects (*Lipson, McPhee, Farnworth*) 11
felting in (*Makinson*) 598
WOOL FIBERS
Lincoln; the mechanical properties of the ortho- and para-like components of (*Feughelman, Haly*) 897
log-normal distribution of the diameter of wool fibers in top slivers as studied by R. Henon and J. Ott (*Monfort*) 556
modified; supercontracting and setting behavior (*Haly, Feughelman*) 365
sorption of water (*Watt*) 443
supercontraction of; a method of measurement (*Newton, White*)—**L** 326
torque-twist relationships and torsional relaxation in wet and dry single fibers (*Mitchell, Feughelman*) 662
WOOL TEXTILE RESEARCH in Australia; some developments (*Lipson*) 680
WOOL-WATER SYSTEM
kinetic studies of; the influence of water concentration (*Watt*) . 443
mechanism of two-stage absorption (*Watt*) 644
variations in the equilibrium weight of wool at zero humidity (*Watt, Kennett*) 489
WORSTED YARNS, factors influencing cohesion of (*Barella, Miró, Crespo*) 633
WRINKLE RECOVERY and fiber properties; relationship between (*Daniels*) 656
WRINKLE RESISTANCE
effects of cross-linking in wrinkle-resistant cotton fabrics (*Frick, Andrews, Reid*) 495
imparted to cotton with 1,1'-carbonylbisaziridine (*Chance, Perkins, Reeves*) 918

X-RAY
diffraction pattern of iodinated wools (*Haly, Feughelman*)—**L** . 622
diffraction study, quantitative, of the alpha–beta transformation in wool keratin (*Bendit*) 547
effect of technique of exposure on the characteristic parameters which can be derived from x-ray exposure of rayon (*Hermans, Weidinger*) 770
study of acetylated jute (*Roy*) 451

YARN
a ballooning yarn apparatus with linear yarn movement (*Brunnschweiler, Cotterill, Hodgkinson*)—**L** 616
blended; relation of variations in blend proportions to number of doublings used in processing (*Walker*) 843
deformation of filaments within yarns due to transverse forces (*Hearle, El-Behery*)—**L** 322
subjected to rapid impact loading; velocities of strain waves resulting from impact (*Smith, Blandford, Schiefer*) 752

BOOK REVIEWS

Acrylic Resins. Milton B. Horn (1960) 631
Advances in Carbohydrate Chemistry, Vol. 13. M. L. Wolfrom, ed. (1958) 631
Application of Nuclear Magnetic Resonance Spectroscopy in Organic Chemistry. L. M. Jackman (1959) 1007
Cycles and Trends in Textiles. Thomas Jeff Davis (1958) . . . 328
Fairchild's Dictionary of Textiles. Stephen S. Marks, ed. (1959) 1007
The Hydrogen Bond. George C. Pimental and A. L. McClellan (1960) 1006
The Location of the Synthetic-Fiber Industry; A Case Study in Regional Analysis. Joseph Airov (1959) 328
Natural and Synthetic Fibers Yearbook 1959. Milton Harris and H. Mark, ed. (1960) 1006
Physical Methods of Investigating Textiles. R. Meredith and J. W. S. Hearle (1959) 630
Polyester Resins. John R. Lawrence (1960) 631
Scientific Aspects of the Wool Industry. F. Monfort (1960) . . 714
Soap Films. Studies of Their Thinning. Karol J. Mysels, Kozo Shinoda, and Stanley Frankel (1959) 1008